

**From:** Donn Aven  
**To:** Kat  
**Date:** 08/18/2003 8:56:40 AM  
**Subject:** One-Way Proposal

Katrina:

1) Barb asked me to let you know we have a clear indication of negative response from Mike Speers on the proposed one-way routing. Should probably canvass some others as well, on Holiday Lane, Sylvia, Robert Drives.

2) Roads/Emergency Vehicle Access Planning Subcommittee

Meeting notes, 16th August 2003

Current (preliminary) plans are as follows:

1) Fix potholes - mini workparty - Saturday 23 August 10:00am

2) Clear drains at Crystal Drive / Holiday Lane - Inspect - formulate plan

(Inspected by DA - propose wood reconstruction of inlet boxes both East & West - treated 4x4, parallam or similar tops, no need to extend the inlets further up Crystal Drive...removeable corner post at West corner...remove the tree stump from East corner...no need to excavate the two leader drains to the manhole...but should clear the east pipe of sand/gravel and rework - deepen - the inlet boxes for siltcatchers.)

3) Reshape only the south end of Crystal Drive from Gregg's property line south to direct any runoff to the sides, into the ditches. (Gravel).

4) Further investigate dust suppressants (Ron) with a view to application in May 2004.

Incidental notes:

- "Road Base" available at Nielson's \$45 per load (1 ½ cu.yd.) This will be ample for 23rd Aug, unless we undertake re-shaping Crystal Drive (estimate about 10 cu.yd.) "Crushed Limestone" not available at Nielson's.

- BC application contractors budget cost for magnesium chloride solution \$.25/sq.m. this would be about C\$500 for the drives and lane.

Regards,

Donn

**CC:** Cam Scott; Katrina and Ron Watts